

ANNUAL DRINKING WATER QUALITY REPORT

Woodruff-Roebuck Water District (4220007)

April, 2021

P. O. Box 182, Woodruff, S.C. 29388

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The source of drinking water used by the Woodruff- Roebuck Water District is surface water.

Este informe contiene informacion muy importante. Traduscalo o hable con alguien que lo entienda bien.


CONSUMER CONFIDENCE REPORT

On August 6, 1998, the Environmental Protection Agency promulgated the Consumer Confidence Report regulation. This rule requires public water systems to publish an annual report for distribution to their customers and other water consumers which gives detailed information about water sources, water treatment, water quality and regulatory compliance. The annual reports, covering the calendar year 2019, must be prepared and distributed by July 1, 2021.

SOURCE WATER INFORMATION

The Woodruff-Roebuck Water District (WRWD) supplies water to its distribution system from its drinking water treatment plant. The Woodruff- Roebuck Water District Water Treatment Plant uses surface water from the North and South Tyger Rivers just before the rivers come together to form the Tyger River (Figure 1).

The North Tyger River is formed from the Middle and South Tyger Rivers and all of their tributaries. The rivers originate in Spartanburg County in South Carolina. The South Tyger River forms in Northern Greenville County in South Carolina and passes through Spartanburg County. There is an intake on each river capable of delivering the full plant capacity from either river.



The South Carolina Department of Health and Environmental Control (SCDHEC) is required by the Safe Drinking Water Act Amendments of 1996 to perform a delineation and assessment of each watershed in South Carolina which is used as a drinking water source. A Source Water Assessment has not been conducted for the entire WRWD Watershed, however, assessments can be found for water providers just above us. For the North Tyger River Source you can refer to the SJWD Source Water Assessment in the Spartanburg County section. The Greer CPW Source Water Assessment can be referenced for the South Tyger River and is located in the Greenville County Section. Additional information about SCDHEC's Source Water Assessment Program and the specific Assessments are no longer on the SCHEC website but may be found through the following website; www.scdhec.gov/homeandenvironment/water/sourcewaterprotection/

TREATMENT PROCESS

Conventional water treatment is used at the Woodruff- Roebuck Water District Water Treatment Plant (WTP). “Raw” water from the rivers is first passed through a screen to prevent large objects from entering the treatment process. The water is pumped from each intake to the WTP where alum and lime are then added. In a process called coagulation, these substances combine with each other and with fine particles in the water to form a substance called “floc” which is heavier than water. The water then passes through basins equipped with “plates” where the floc settles to the bottom and is removed, taking unwanted substances with it. Clear “settled” water is skimmed from the top of the basins and chlorine is added to this water to remove iron and manganese, two natural substances in the water which would stain clothing and plumbing fixtures if not removed, as well as, lead to dirty water being experienced in the distribution system. The chlorine also acts as a disinfectant, destroying bacteria, viruses, algae, and other organisms, some of which could cause illness. The water then passes through filters to remove still more unwanted material. Additional chlorine disinfectant and lime are added as needed to meet state requirements. A corrosion inhibitor containing phosphate is added to preserve distribution piping and prevent lead and copper contamination. Each step of the treatment process represents a barrier which prevents chemical contaminants and disease organisms from passing through the treatment plant into the drinking water. EPA has established standards for the performance of each of these barriers.

The effectiveness of coagulation, sedimentation and filtration in removing particles from the water is determined by measuring the turbidity of the water as it leaves the filters. Turbidity is a measure of the quantity of finely divided particles suspended in the water, and is reported in units called NTU. The EPA standard for the turbidity of filtered water states that turbidity may not exceed 0.3 NTU in more than 5% of all the measurements taken, and must never exceed 1 NTU. 1 NTU turbidity cannot be seen by the human eye. Turbidity measurement is required every 4 hours. WRWD was in full compliance with this requirement in 2020.

Regulations also require maintenance of a minimum level of disinfection throughout the distribution system.

WRWD used chlorine as its only disinfectant during 2020. The MRDL for chlorine is 4 parts per million. The MRDLG for chlorine is also 4 ppm. Public water systems performing water treatment are required to monitor Total Organic Carbon (TOC) levels in their source and finished water. TOC provides a measure of available organic precursors, the natural raw material that reacts with chlorine to form disinfection byproducts. By limiting the amount of this raw material available, as well as the level of disinfectant used, the potential for forming disinfection byproducts can be limited. A minimum percent removal of TOC through the treatment process is required. What is reported is the ratio of the actual removal percentage achieved and the minimum requirement. A running annual average (average of four consecutive quarterly averages) ratio of 1.0 or higher indicates compliance with the requirements.

SOURCE OF DRINKING WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

CHEMICAL MONITORING

Public water systems are required to monitor their drinking water for a large number of chemical contaminants. These include inorganic chemicals, synthetic organic chemicals, volatile organic chemicals, disinfection byproducts, and radioactive contaminants. For some of these contaminants, EPA has established and SCDHEC has adopted maximum contaminant levels and maximum contaminant level goals. These contaminants are referred to as regulated contaminants. For other contaminants, EPA and SCDHEC require monitoring as a means of building a base of occurrence data, but there are not at this time any enforceable limits on the concentration of these contaminants. These are referred to as unregulated contaminants. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/Aids or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the **Safe Drinking Water Hotline 1-800-426-4791**. Public water systems are required to report only those contaminants which have been detected during the calendar year 2020, or in the most recent sample taken for parameters measured less frequently than once per year. The information must include the contaminant name, the MCLG and MCL, the highest level found (or the average for substances subject to secondary MCL's) and the range of measurements if multiple samples were taken, the date samples were taken, and the typical source or sources of the contaminants detected. Normal levels of trihalomethanes and haloacetic acids, which are the expected byproducts of chlorine disinfection, were observed, but these are not regulated at the treatment plant. All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791**. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Woodruff-Roebuck Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several

hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day for a lifetime at the MCL level to have a one-in-a-million chance of having the described health effect.

Woodruff-Roebuck Water District & the South Carolina Department of Health & Environmental Control routinely monitor for 81 contaminants in your drinking water according to federal and state laws. The tables below show the results of monitoring for contaminants which have been detected during the period of January 1st to December 31st, 2020.

Regulated Substances Detected in the WRWD Finished Drinking Water

Substance	MCLG	MCL	Highest Level	Range of Levels Detected	Year Sampled	MCL exceeded ?	Typical Source
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.74 ppm	0.74-0.74 ppm	2020	NO	Runoff from fertilizer use. Leaching from septic tanks and sewage. Erosion from natural deposits.
Turbidity	0	TT= 1NTU TT= % of Samples below 0.3 NTU	0.10 NTU 100%	0.05-0.10 NTU	2020	NO	Soil runoff
Total Organic Carbon (TOC)*	N A	TT= Removal Ration of 1 or greater	Removal Ratio= 1.13	Removal Ratio= 1.00-1.93	2020	NO	Naturally Occurring
Fluoride **	4 ppm	4.0 ppm	0.00 ppm	0.00 - 0.00 ppm	2020	NO	Erosion of natural deposit. Water additive which promotes strong teeth. Added to prevent tooth decay.
Sodium (*)	NA	NA	8.8 ppm	8.8-8.8 ppm	2020	NO	Naturally Occurring

*The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set.

**Only fluoride samples taken by DHEC are given in table. This is from naturally occurring Fluoride, Fluoride was not fed during 2020.

(*) Sodium is not regulated but it is checked yearly by DHEC.

Woodruff- Roebuck Water District Distribution Monitoring for Lead and Copper Rule

Contaminant Unit	Action Level (AL)	MCLG	90th Percentile	# of Sites Over Action Level	Year Sampled	Violation	Typical Source of Contamination
Copper	1.3 ppm	1.3 ppm	0.156 ppm	0	2018	NO	Corrosion of household plumbing systems.
Lead	15 ppb	0 ppb	0 ppb	0	2018	NO	Corrosion of household plumbing systems.

Woodruff– Roebuck Water District Disinfection and Disinfection Byproducts

Disinfection and Disinfection Byproducts	MCLG	MCL	Highest Level	Range of Levels Detected	Year Sampled	MCL exceeded ?	Typical Source
Chlorine	4.0 ppm	4.0 ppm	0.73 ppm (RAA)	0.22 - 1.89 ppm	2020	NO	Added for disinfection.
Haloacetic Acids (HAA5)	No Goal for Total	60 ppb	31 ppb (highest LRAA)	22.2-36.0 ppb	2020	NO	By-product of drinking water disinfection.
Total Trihalomethanes (TTHM)	No Goal for Total	80 ppb	56 ppb (highest LRAA)	27.1 - 71.8 ppb	2020	NO	By-product of drinking water disinfection.

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

Woodruff– Roebuck Water District Unregulated Contaminants (UCMR4)

Unregulated contaminants are those that do not have a drinking water standard set by EPA. EPA is required by the Safe Drinking Water Act to identify every five years a list of potential contaminants, make a rule for water system to test for them, and then make a decision whether regulation is necessary. As part of the Unregulated Contaminant Monitoring Rule 4 (UCMR4), DHEC recently started testing Woodruff- Roebucks WTP and Distribution System for 20 unregulated contaminants and 10 Cyanotoxins. The levels that were measured are included in this report but are not complete yet. Seventeen of the contaminants under review were not detected, but three were detected. They are listed below along with Manganese at the POE and TOC and Bromide levels for the source water. If you have any questions about these results or are interested in the full list of contaminants that were monitored, please contact Jeff Erwin at 864-574-7716.

Substance	Sample Location	Average Level Found	Range of Levels Found	Year Sampled	Typical Source
HAA5	Distribution System	37.8 ppb	19.3 – 54.1 ppb	2020	By-product of drinking water disinfection.
HAA6 Br	Distribution System	8.3 ppb	4.4 – 11.6 ppb	2020	By-product of drinking water disinfection.
HAA9	Distribution System	45.8 ppb	24.8 – 64.7 ppb	2020	By-product of drinking water disinfection.
Manganese	WTP POE	1.28 ppb	0.531– 2.46 ppb	2020	Naturally Occurring
Total Organic Carbon (TOC)	Source Water	2.21 ppm	1.87 – 2.50 ppm	2020	Naturally Occurring
Bromide	Source Water	0.0261ppm	0.0256 – 0.0265 ppm	2020	Naturally Occurring

The US Environmental Protection Agency (EPA) published the Long Term 2 Enhanced Surface Water Treatment Rule (LT2 or LT2ESWTR) on January 5th, 2006. This testing is done initially (2013) and then again in 6 years. The purpose of the LT2 rule is to reduce illnesses linked to Cryptosporidium and other microbial pathogens in drinking water and to address the risk tradeoffs with the control of disinfection byproducts. WRWD started testing in October 2019. These tests will require a sample from each intake for the next two years.

What do all those symbols mean?

Distribution System (Dist)-Sample locations are located in the service area of the Woodruff– Roebuck Water District

Non-Detects (ND)-laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l)-one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter-one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) or Nanograms per liter-one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Action Level-the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The “**Maximum Allowed**” is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The “**Goal**” is the level

of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.


Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Water Treatment Plant (WTP)-Woodruff– Roebuck Water District Water Treatment Plant located in Roebuck SC.



WOODRUFF-ROEBUCK WATER DISTRICT
P. O. BOX 182
WOODRUFF, SC 29388



If you have questions about this report, please call our office at 864-476-3188. Our District is governed by a Board of Commissioners who meet at the District Office on the third Thursday of each month at 12:45 p.m.